DATE : 06-21-	93		
TO : Supervisor,	Art Unit <u>3306</u>		
SUBJECT: Certificate	of Correction Request	in Patent No. 4, 976, 273	
A response to the following	g question(s) is reques	sted with respect to the accompanying request for a certificate of correct	tion.
Col. 2, line 5	and Col. 1, line (s) requested under 3°	7 CFR 1.323 constitute new matter or require reexamination of the appl - 15. 7 CFR 1.323 materially affect the scope or meaning of the claims allow	
3. Applicant disagree the change reques		aled and dated by Examiner in lieu of an Examiner's Amendment. Sho	uld
4. With respect to the of correction?	e change(s) requested	, correcting Office errors, should the patent read as shown in the certific	ate
5. If the amendment amendment have		had been considered by the Examiner, would the	
PLEASE RESPQND WITH ROOM 809, PKI	IN 7 DAYS AND RET	TURN THE FILE TO  Trina South Patent Assistant	
TO: CERTIFICATES OF CORRE	CTION BRANCH	DATE:	
	change(s) requested is	n the certificate of correction is shown below.	
1. <b>\( \sqrt{YES} \)</b>	X NO	☐ Comments below	
2.  YES	X NO	☐ Comments below	
3. Tyes	☐ NO	☐ Comments below	
4. TYES	□ NO	Comments below	
5. YES	☐ NO	☐ Comments below	
Comments			
		*.	
	•		
		M. Dec	
•		// Affilia 3309	<u>-</u>
		Supervisor Art Unit	

PRINTER'S

PATENT NO. : 4,976,273

DATED

December 11, 1990

INVENTOR(S):

HESSEL, Lasse

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Related U.S. Application Data, line 1, "Jun. 15, 1987" should and Will read -- Jun. 5, 1987-attu

In the Other Publications, line 4, "1934," should read --1934),--In the Other Publications, line 7, "condoms-using" should read --Condoms Using--

In the Abstract, line 4, "end" should read --end having--

Column 1, line 60 "are" should read --is--

Column 1, line 62 "device This" should read --device. This--Column 2, line 5 "useful" should read --not useful--

Column 2, line 42 "thin-walled," should read --thin-walled--Column 2, line 61 "condom like" should read --condom-like--

Column 3, line 41 "virus" should read --virus,-Column 4, line 22, "is" should read --are-Column 4, line 62 "elastric" should read --elastic--

Column 5, line 55, "a insertion-- should read --an insertion-- Column 5, line 59, "inserted" should read --insertion-- Column 6, line 27 "rounded At" should read --rounded. At--

Column 6, line 41, "2" should read --2 of-- and "1" should read

Column 7, line 6, "that" should read --than--

Column 7, line 15, "internal of" should read --internal or--

Column 7, line 17, attatched" should read --attached--

Atto

atte

itty Litty

attap